L Number	Hits	Search Text	DB	Time stamp
-	75	(conformance adj testing) and protocol\$1	USPAT; US-PGPUB; EPO; JPO	2003/05/30 11:00
-	62	((conformance adj testing) and protocol\$1) and @ad<=20000131	USPAT; US-PGPUB; EPO; JPO	2003/05/29 10:26
-	9	(((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway	USPAT; US-PGPUB; EPO; JPO	2003/05/29 10:10
•	50	(((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.	USPAT; US-PGPUB; EPO; JPO	2003/05/29 11:02
-	4	(370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))	USPAT; US-PGPUB; EPO; JPO	2003/05/29 11:08
-	716	@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and gateway) not @ad<=20000131) and gateway) not	USPAT; US-PGPUB; EPO; JPO	2003/05/29 11:09

•	231	(@ad<20000131 and protocol\$1 and	USPAT;	2003/05/29
1		(transition\$3 with state\$1) and (gateway\$1	US-PGPUB;	11:09
		or PSTN) not (((((conformance adj testing)	EPO; JPO	
		and protocol\$1) and @ad<=20000131) and	,	
	:	gateway) or ((((conformance adj testing) and		
		protocol\$1) and @ad<=20000131) not		
		((((conformance adj testing) and protocol\$1)		
		and @ad<=20000131) and gateway) not		
		lucent.as.) or ((370/242,255).ccls. and		
		@ad<20000131 and protocol\$1 and		
		(transition\$3 with state\$1) and (gateway\$1		
		or PSTN) not (((((conformance adj testing)		
		and protocol\$1) and @ad<=20000131) and		
		gateway) or ((((conformance adj testing) and		
		protocol\$1) and @ad<=20000131) not		
		((((conformance adj testing) and protocol\$1)		
		and @ad<=20000131) and gateway) not		
		lucent.as.))))) and testing		
,	12	((@ad<20000131 and protocol\$1 and	USPAT:	2003/05/29
	12	(transition\$3 with state\$1) and (gateway\$1	US-PGPUB:	11:15
		or PSTN) not (((((conformance adj testing)	EPO; JPO	
		and protocol\$1) and @ad<=20000131) and	0, 0,0	
		gateway) or ((((conformance adj testing) and		
		protocol\$1) and @ad<=20000131) not		
		((((conformance adj testing) and protocol\$1)		
		and @ad<=20000131) and gateway) not		
		lucent.as.) or ((370/242,255).ccls. and		
		@ad<20000131 and protocol\$1 and		
		(transition\$3 with state\$1) and (gateway\$1		
		or PSTN) not (((((conformance adj testing)		
		and protocol\$1) and @ad<=20000131) and		
		gateway) or ((((conformance adj testing) and		
		protocol\$1) and @ad<=20000131) not		
		((((conformance adj testing) and protocol\$1)		
		and @ad<=20000131) and gateway) not		
		lucent.as.))))) and testing) and (test adj		
	_	sequence\$1)	HEDAT:	2002/05/20
-	5	(conformance adj testing) and gateway\$1	USPAT;	2003/05/29
		not ((((conformance adj testing) and	US-PGPUB;	13:04
	1	protocol\$1) and @ad<=20000131) and	EPO; JPO	•

•	1215	((conformance adj testing) or policing) not	USPAT;	2003/05/29
		(((((conformance adj testing) and	US-PGPUB;	13:09
		protocol\$1) and @ad<=20000131) and	EPO; JPO	
		gateway) or ((((conformance adj testing) and		
		protocol\$1) and @ad<=20000131) not		
		((((conformance adj testing) and protocol\$1)		
		and @ad<=20000131) and gateway) not		1
		lucent.as.) or ((370/242,255).ccls. and		
		@ad<20000131 and protocol\$1 and		
		(transition\$3 with state\$1) and (gateway\$1		
		or PSTN) not (((((conformance adj testing)		
		and protocol\$1) and @ad<=20000131) and		
		gateway) or ((((conformance adj testing) and		
		protocol\$1) and @ad<=20000131) not		
		((((conformance adj testing) and protocol\$1)		
		and @ad<=20000131) and gateway) not		]
		lucent.as.))) or (((@ad<20000131 and	:	
		protocol\$1 and (transition\$3 with state\$1)		
		and (gateway\$1 or PSTN) not		
		(((((conformance adj testing) and		
		protocol\$1) and @ad<=20000131) and		
		gateway) or ((((conformance adj testing) and		
		protocol\$1) and @ad<=20000131) not		
		((((conformance adj testing) and protocol\$1)		
		and @ad<=20000131) and gateway) not		
		lucent.as.) or ((370/242,255).ccls. and		
		@ad<20000131 and protocol\$1 and		
		(transition\$3 with state\$1) and (gateway\$1		
		or PSTN) not (((((conformance adj testing)		
		and protocol\$1) and @ad<=20000131) and	1	
		gateway) or ((((conformance adj testing) and		
		protocol\$1) and @ad<=20000131) not		
		((((conformance adj testing) and protocol\$1)		
		and @ad<=20000131) and gateway) not		
		lucent.as.))))) and testing) and (test adj		
		sequence\$1)) or ((conformance adj testing)		
		and gateway\$1 not ((((conformance adj		
		testing) and protocol\$1) and		
		@ad<=20000131) and gateway)))		

2003/05/29 798 (((conformance adj testing) or policing) not USPAT; 13:10 (((((conformance adj testing) and **US-PGPUB**; protocol\$1) and @ad<=20000131) and EPO; JPO gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))) or (((@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))))) and testing) and (test adj sequence\$1)) or ((conformance adj testing) and gateway\$1 not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway)))) and

@ad<=20000131

19 ((((conformance adj testing) or policing) not USPAT; 2003/05/29 (((((conformance adj testing) and **US-PGPUB**; 13:44 EPO; JPO protocol\$1) and @ad<≃20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))) or (((@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))))) and testing) and (test adj sequence\$1)) or ((conformance adj testing) and gateway\$1 not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway)))) and @ad<=20000131) and (test\$3 near3

sequenc\$3)

21	-   (	USPAT;	2003/05/29
	455/67.4; 714/715).ccls. and testing and	US-PGPUB;	13:46
	sequence\$1 and state\$1 not	EPO; JPO	
	(((((conformance adj testing) and		
	protocol\$1) and @ad<=20000131) and		
į	gateway) or ((((conformance adj testing) and		
İ	protocol\$1) and @ad<=20000131) not		
	((((conformance adj testing) and protocol\$1)	Ī	
	and @ad<=20000131) and gateway) not		! :
	lucent.as.) or ((370/242,255).ccls. and	:	
	@ad<20000131 and protocol\$1 and		
	(transition\$3 with state\$1) and (gateway\$1		
	or PSTN) not (((((conformance adj testing)		
	and protocol\$1) and @ad<=20000131) and		•
:	gateway) or ((((conformance adj testing) and		
	protocol\$1) and @ad<=20000131) not		
	((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not		
	,		
	lucent.as.))) or (((@ad<20000131 and		
	protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not		
	(((((conformance adj testing) and		
	protocol\$1) and @ad<=20000131) and		
	gateway) or ((((conformance adj testing) and		
	protocol\$1) and @ad<=20000131) not		
	((((conformance adj testing) and protocol\$1)		
•	and @ad<=20000131) and gateway) not		•
ļ	lucent.as.) or ((370/242,255).ccls. and		
	@ad<20000131 and protocol\$1 and		
	(transition\$3 with state\$1) and (gateway\$1		
	or PSTN) not (((((conformance adj testing)		
	and protocol\$1) and @ad<=20000131) and		
	gateway) or ((((conformance adj testing) and		
	protocol\$1) and @ad<=20000131) not		
	((((conformance adj testing) and protocol\$1)		
	and @ad<=20000131) and gateway) not		
	lucent.as.))))) and testing) and (test adj		
	sequence\$1)) or ((conformance adj testing)		
	and gateway\$1 not ((((conformance adj		
	testing) and protocol\$1) and		
	@ad<=20000131) and gateway)) or "L19")		

2003/05/29 **USPAT:** ((370/242-245,236,250; 379/10.01,27.04; 455/67.4; 714/715).ccls. and testing and **US-PGPUB**; 13:47 EPO; JPO sequence\$1 and state\$1 not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))) or (((@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))))) and testing) and (test adj sequence\$1)) or ((conformance adj testing) and gateway\$1 not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway)) or "L19"))

and (test\$3 near3 sequenc\$3)

**USPAT**; (((370/242-245,236,250; 379/10.01,27.04; 455/67.4; 714/715).ccls. and testing and sequence\$1 and state\$1 not EPO; JPO (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))) or (((@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))))) and testing) and (test adj sequence\$1)) or ((conformance adj testing) and gateway\$1 not ((((conformance adj testing) and protocol\$1) and

@ad<=20000131) and gateway)) or "L19"))

and (test\$3 near3 sequenc\$3)) and

@ad<=20000131

USPAT; 2003/05/29 US-PGPUB; 13:48

2003/05/29 ((((370/242-245,236,250; 379/10.01,27.04; USPAT: 455/67.4; 714/715).ccls. and testing and **US-PGPUB**; 13:58 sequence\$1 and state\$1 not EPO; JPO (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))) or (((@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))))) and testing) and (test adj sequence\$1)) or ((conformance adj testing) and gateway\$1 not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway)) or "L19")) and (test\$3 near3 sequenc\$3)) and

@ad<=20000131) and protocol\$1

(test adj2 sequenc\$3) and gateway not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))) or (((@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))))) and testing) and (test adj sequence\$1)) or ((conformance adj testing) and gateway\$1 not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway)) or ((((370/242-245,236,250; 379/10.01,27.04; 455/67.4; 714/715).ccls. and testing and sequence\$1 and state\$1 not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and

USPAT; US-PGPUB; EPO; JPO 2003/05/29 14:00

Search History 5/30/03pp2±pce45p)Mandp@gel<p20000131) not C:\APPS\EAST\Workspace(((09=03500000epd) testing) and protocol\$1) and @ad<=20000131) and gateway) not ((test adj2 sequenc\$3) and gateway not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))) or (((@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))))) and testing) and (test adj sequence\$1)) or ((conformance adj testing) and gateway\$1 not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway)) or ((((370/242-245,236,250; 379/10.01,27.04; 455/67.4; 714/715).ccls. and testing and sequence\$1 and state\$1 not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and

24

USPAT; US-PGPUB; EPO; JPO 2003/05/29 14:00

Search History 5/30/03pm2\*pp.cl6\*pluandp@gel<p20000131) not C:\APPS\EAST\Workspace(((09=05000) ocspd) testing) and protocol\$1) and @ad<=20000131) and gateway) not ((conformance adj testing) and protocol\$1) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))) or (((@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))))) and testing) and (test adj sequence\$1)) or ((conformance adj testing) and gateway\$1 not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway)) or (((((conformance adj testing) or policing) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1)

USPAT; US-PGPUB; EPO; JPO 2003/05/29 14:14

Search History 5/30/03appli@ad4∓ዓብ00βágá)ppnd gateway) not C:\APPS\EAST\Workspaceមេលៃ 4850)}cov((@ad<20000131 and protocol\$1 and (transition\$3 with state\$1)

(((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))) or (((@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))))) and testing) and (test adj sequence\$1)) or ((conformance adj testing) and gateway\$1 not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway)) or (((((conformance adj testing) or policing) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not Search History 5/30/03(**((2001)Outpan**ceagletesting) and protocol\$1)

C:\APPS\EAST\Workspaces@495928009631) and gateway) not

lucent.as.))) or (((@ad<20000131 and

USPAT; US-PGPUB; EPO; JPO 2003/05/29 14:14

(conformance adj testing) not (((conformance adj testing) and protocol\$1) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))) or (((@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))))) and testing) and (test adj sequence\$1)) or ((conformance adj testing) and gateway\$1 not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway)) or (((((conformance adj testing) or policing) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not Search History 5/30/03(M2conformance age testing) and protocol\$1)

C:\APPS\EAST\Workspace#09495929009631) and gateway) not

lucent.as.))) or (((@ad<20000131 and

11

USPAT; **US-PGPUB**; EPO; JPO

2003/05/29 14:35

(extended adj finite adj state adj machine\$1) not (((conformance adj testing) and protocol\$1) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))) or (((@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocoi\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))))) and testing) and (test adj sequence\$1)) or ((conformance adj testing) and gateway\$1 not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway)) or (((((conformance adj testing) or policing) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or ((((conformance adj testing) and

24

USPAT; US-PGPUB; EPO; JPO 2003/05/29 14:36